POPULATION ESTIMATES	LOCAL PUBLIC HEALTH				
Total 1995 Population Est 82,890 Percent Female 50.9	 	Per <u>Activities Reported Number 10,000</u>			
Population per square mile 140 Rank in state 15 (1=highest population density,	the 1990 Census. (All other sections contain 1995 data except where specified.)	Public Health Nursing Total clients			
72=lowest population density.) _Age Female	Ratio of 1989 Family Income to Poverty (Cumulative)	Gen hlth promotion 320 39 Infant/child hlth 1,060 128 Infectious & parasitic 480 58 Circulatory 544 66			
0- 14 8, 680 9, 000 17, 680 15- 19 2, 970 3, 140 6, 108 20- 24 2, 290 2, 400 4, 690	$ \begin{vmatrix} \text{Age} & <100\% & <185\% & <200\% & \text{Total} \\ <5 & 15 & 35 & 40 & 5,606 \\ 5\text{-}17 & 11 & 27 & 31 & 15,715 \end{vmatrix} $	Prenatal 195 24 Postpartum 372 45			
25- 29 2, 320 2, 370 4, 690 30- 34 3, 020 3, 030 6, 050 35- 39 3, 300 3, 500 6, 800	18-44 8 21 24 30, 875 45-64 4 12 14 15, 133 65+ 8 37 42 11, 813	WIC Participants 1,934 233 Clinic Visits 13,784 1,663			
40- 44 3, 080 3, 290 6, 370 45- 54 4, 960 4, 960 9, 920 55- 64 3, 700 3, 530 7, 230 65- 74 3, 710 3, 150 6, 860		Immunization 7,150 863 Blood pressure 195 24 Environmental Contacts			
75- 84 2, 930 1, 850 4, 780 85+ 1, 260 450 1, 710 Total 42, 220 40, 670 82, 890	CANCER INCIDENCE (1995)	Env hazards 103 12 Public health nuisance 187 23			
<u>Age Female Male Total</u> 0-17 10,460 10,940 21,400	Primary site Number Colon 39 Lung 38 Breast 78	School Health Vision screenings 5,656 683 Hearing screenings 2,303 278			
18- 44 15, 200 15, 790 30, 990 45- 64 8, 660 8, 490 17, 150 65+ 7, 900 5, 450 13, 350	Breast 78 Prostate 70 All others 210 Total 435	Health Education Community sessions 33 4 Community attendance 1,041 126			
Total 42, 220 40, 670 82, 890	 	School sessions 171 21 School attendance 4,308 520 Staffing - FTEs			
Note: Average wage is based on place of work, not place of residence.	 Home Health Agencies 2	Total staff 23 2.8 Administrators 2 0.3 Public health nurses 10 1.2			
Average wage for jobs covered by Unemployment Compensation \$22,919	Patients 1,017 Patients per 10,000 pop 123 Nursing Homes 8	Public health aides 4 0.5 Environmental specialists 1 0.1			
Labor Force Estimates Annual Average Civilian labor force 44,945 Number employed 42,857	Li censed beds	LOCAL PUBLIC HEALTH FUNDING Per Amount Capita			
Number employed 42,857 Number unemployed 2,088 Unemployment rate 4.6%	Residents per 1,000 population aged 65 or older 67	Total funding \$1,083,902 \$13.08 Local taxes \$606,414 \$7.32			

----- N A T A L I T Y ------| Age of Mother | Births | Rate | Colored | River | Rate | Colored | Rate | Rate | Colored | River | Rate | Colored | River | Rate | Colored | Rate | Rate | Rate | Colored | Rate | Rate | Colored | Rate | Rate | Rate | Colored | Rate | Rat Teenage Births 75 25

MORBIDITY	MORTALITY	
REPORTED CASES OF SELECTED DISEASES	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.	
Di sease Number Campyl obacter Enteritis 28 Gi ardi asi s 17 Hepatitis Type A <5 Hepatitis Type B* 10 Hepatitis NANB/C** 0 Legi onnai re' s 0	5-14 6 . Colorectal 17	5 28
Lyme 0 Measles 0 Meningitis, Aseptic 0 Meningitis, Bacterial 0 Mumps 0 Pertussis 0 Sal monel losis 19	15-19 1 . Female breast 13 20-34 14 . Cerebrovascular Disease 46 5	• (
Shi gellosis <5 Tuberculosis <5 * Includes HBV carriers ** Includes HCV screens Sexually Transmitted Disease	Infectious & Parasitic 20 2 Suicide 9 Infant Mortality Deaths Rate Total Infant 8 . on female population. Neonatal 5 . Post-neonatal 3 . ALCOHOL AND DRUG ABUSE AS UNDERLYING	I
Chlamydia Trachomatis 64 Genital Herpes 24 Gonorrhea 9 Nongonococcal Cervicitis 0 Nongonococcal Urethritis 0 Syphilis <5	Name	
I M M U N I Z A T I O N S	Birth Weight	ons
Children in Grades K-12 by Compliance Level Compliant 14,361 Non-compliant 147 Percent Compliant 99.0	Alcohol-Related With Citation:	4 0 0 1 1 1

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DI SEASE / AGE GROUP	Number	1, 000	Average Stay (Days)	Average	Charge Per Capi ta
Injury-Related	· Δ11					Al cohol - Rel at e	4				
Total	702	8. 5	4. 7	\$9, 103	\$77	Total	286	3. 5	3. 9	\$2, 255	\$8
<18	88	4. 1	3. 0	\$7, 149	\$29	18-44	219	7. 1	3. 3	\$1, 747	\$12
18- 44	181	5.8	4. 7	\$9, 775	\$57	45-64	49	2. 9	6. 3	\$3, 913	\$11
45- 64	132	7. 7	4. 0	\$8, 347	\$64	45-04	40	۵. ن	0. 5	40, 515	Q11
65+	301	22. 6	5. 4	\$9, 601	\$217	Pneumoni a and 1	[nf] uonza				
Injury: Hip		22.0	J. 4	39, 001	3217	Total	360	4. 3	6. 4	\$7, 501	\$33
Total	104	1. 3	6. 2	\$11, 084	\$14	10tai <18	85	4. 3 4. 0	3. 3	\$7, 301	\$33 \$12
										\$2, 921	
65+	101	7. 6	6. 2	\$11, 144	\$84	45-64	31	1.8		\$10, 252	\$19
Injury: Pois						65+	221	16. 6	7.8	\$9, 273	\$154
Total	48	0.6	1.7	\$3, 236	\$2		ъ.				
18- 44	24	0.8	1.6	\$3, 595	\$3	Cerebrovascul a					
						Total	272	3. 3	5. 0	\$7, 297	\$24
Psychi atri c						45-64	47	2.7	4. 7	\$7, 733	\$21
Total	519	6. 3	8. 4	\$4, 965	\$31	65+	216	16. 2	5. 1	\$7, 167	\$116
<18	98	4.6	11. 9	\$6, 918	\$32						
18- 44	237	7. 6	6. 7	\$3, 686	\$28	Chronic Obstruc	ctive Puln	nonarv D	i sease		
45- 64	79	4.6	7. 2	\$4, 496	\$21	Total	186	2. 2	4. 4	\$4, 782	\$11
65+	105	7. 9	9. 9	\$6, 383	\$50	<18	48	2. 2	2. 8	\$3, 135	\$7
00 1	100		0.0	40,000	400	18-44	19	~. ~	2.0	40, 100	Ψ.
Coronary Heart	Di casca					45-64	35	2. 0	4. 2	\$4, 311	\$9
Total	575	6. 9	4. 5	\$11, 619	\$81	43-04	84	6.3	6.0	\$6, 444	\$ 41
45- 64	200	11. 7	3.8	\$11, 723	\$137	05+	04	0. 3	0. 0	30, 444	341
	200	11. /		311, 723	3137 9210	Daniel Dallatad					
65 +	350	26. 2	5. 0	\$11,829	\$310	Drug-Related	0.5	0.0	0.0	00 010	0.1
36.14			411			Total	25	0. 3	6. 3	\$3, 910	\$1
Malignant Neop			All		***	18-44	18	•	•	•	•
Total	407	4. 9	7. 9	\$13, 930	\$68						
18- 44	34	1. 1		\$18,662	\$20	Total Hospitali					
45- 64	119	6. 9	7. 0	\$13, 289	\$92	Total	9, 979	120. 4	4. 6	\$6, 855	\$826
65 +	243	18. 2		\$13, 082	\$238	<18	1, 807	84. 5	3. 1	\$3, 869	\$327
Neoplasms: F	emale Brea	ast (ra	tes for	female po	opul ati on)	18-44	2, 587	83. 5	3. 2	\$4,606	\$384
Total	51	1. 2	2. 7	\$5, 878 ¹	\$7	45-64	1, 731	101.0	4.7	\$8, 540	\$863
Neoplasms: C	ol o-recta	l		•		65+	3, 854	288. 9	6. 2	\$9,008	\$2,603
Total	35	0. 4	9. 3	\$14, 245	\$6	1'	,			. ,	,
65+	26	1. 9	9. 0	\$13, 549	\$26	PREVENTA	BLEH	0 S P I	T A I.	IZATI	0 N S *
Neoplasms: L		2.0	J. U	Ţ 10, O 10	Ÿ ~ 0	Total	1, 434	17. 3	5. 2	\$5,999	\$104
Total	29	0. 3	7. 5	\$14, 852	\$5	<18	285	13. 3	2.7	\$3, 072	\$41
iocai	20	J. J	7. 3	ψ1 1 , 00&	ψŪ	18-44	187	6.0	4. 1	\$5, 072 \$5, 013	\$30
Diabetes						45-64	205	12. 0	4. 1	\$5, 013 \$5, 853	\$30 \$70
	74	0.0	F C	00 700	ėe.						
Total	74	0. 9	5. 6	\$6, 768	\$6	65+	757	56. 8	6. 6	\$7, 384	\$419
65 +	28	2. 1	6. 7	\$6, 146	\$13	, , , , , , , , , , , , , , , , , , ,	C	1	,		
						* Hospitalizati	ons for co	ondi ti on	s where	timely a	nd
						effective ambul	atory car	e can r	educe t	he likelih	lood of
						hospi tal i zati or	1.				